

Notice of Allowability	Application No.	Applicant(s)	
	10/727,700	MUDUNURI ET AL.	
	Examiner Merilyn P. Nguyen	Art Unit 2163	

-- **The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to 01/04/2007.
2. The allowed claim(s) is/are 1-50 and 53-54.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 - of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date 01/11/2007
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.



DON WONG
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100

DETAILED ACTION

1. In response to the communication dated 01/04/2007, claims 1-50 and 53-54 are active in this application as the result of the cancellation of claims 51-52 and in condition for allowance.

Acknowledges

2. Receipt is acknowledged of the following items:

Information Disclosure Statement (IDS) filed on January 11, 2007 and made of record. The references cited on the PTOL 1449 form have been considered.

Reason for Allowance

3. The following is an examiner's statement of reason for allowance:

None of the references of record Kori (US Patent No. 6,397,223), Miller (US 2004/0010538) and Agrawal (US Patent No. 6,230,151) teaches or suggests the claimed (Claims 1, 26 and 53) invention having, in addition to the other limitations in the claims, the limitation of completing the processing of the plurality of data records by synchronizing the transaction boundaries and combining the multiplicity of results.

None of the references of record Kori (US Patent No. 6,397,223), Miller (US 2004/0010538) and Agrawal (US Patent No. 6,230,151) teaches or suggests the claimed (Claims 12, 37 and 54) invention having, in addition to the other limitations in the claims, the limitation of completing the series of transformations by synchronizing the transaction boundaries and combining the multiplicity of results.

Dependent claims 2-11, 13-25, 27-36, and 38-50 are allowable because they depend from claims 1, 12, 26, 37 and 53-54.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance”.

Conclusion

5. A shortened statutory period for response to this action is set to expire 3 (three) months and 0 (zero) day from the day of this letter. Failure to respond within the period for response will cause the application to become abandoned (see M.P.E.P 710.02(b)).

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Boothby U.S Patent No. 6,330,568 discloses synchronization of databases.

De Zwart US 2005/0192846 discloses time coordination and synchronization of event times in electronic medical records.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Merilyn P Nguyen whose telephone number is 571-272-4026. The examiner can normally be reached on M-F: 8:30 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Wong can be reached on 571-272-1834. The fax phone numbers for the organization where this application or proceeding is assigned are 571-273-8300 for regular communications and 703-746-7240 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3900.

MN
March 22, 2007



DON WONG
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100